





WWW.ERISLIGHTING.COM

فروشگاه اریس لایتینگ

تهران، لاله زار نو، نرسیده به منوچهری، روبروی بانک ملی شعبه کنت، شماره ۴۵۹

۰۹۱۲ ۲۷۲ ۶۰۰۱ - ۳۶۰۵۶۲۲۹ (۰۲۱) - ۳۶۰۵۶۲۲۷ (۰۲۱)

فروشگاه اریس

تهران، لاله زار نو، بالاتر از منوچهری، مرکز تجاری سبحان، طبقه زیر همکف، پلاک ۱۲۷-

۰۹۱۲ ۸۳۴ ۳۷۴۵ - ۶۶۷۰۴۷۰۸ (۰۲۱) - ۶۶۷۰۴۷۳۴ (۰۲۱)

بازرگانی اریس

تهران، لاله زار نو، بالاتر از منوچهری، مرکز تجاری سبحان، طبقه سوم، شماره ۳۱۳

۰۹۱۲ ۲۷۲ ۶۰۰۱ - ۶۶۷۳۹۶۱۵ (۰۲۱) - ۶۶۷۳۹۵۷۲ (۰۲۱)



PENDANTS



8320



6822



6805



6804



6810



6814-320



6817-300



6811



6816



6821



6830



6803-300



6801



6804



6844



6619



6881



6616



6603



6831



6832

PENDANTS SPECIFICATION

MODEL NO		DIMENSION	COLOR	INSIDE/OUTSIDE
8320		420x300		
6822		350x350		
6805		400x380 350x350		
6804		400x230		
6810		380x350		
6814-320		320x280		
6817-300 6842		320x330 450x450		
6811		260x430		
6816		350x330		
6821		250x550		
6830		215x500		
6803-300		300x220		
6801		350x280 250x200		
6804	PUNCHED ::	400x220		
6844		350x350		
6619		170x250		
6881		280x280		
6616		160x280		
6603		200x170		
6831		360x350		
6832		360x350		

GOLD BLACK YELLOW SILVER PINK GREEN ORANGE WHITE

DOWNLIGHT



3YEARS
GUARANTEE
 **IP55 CE**

MODEL NO	POWER	LUMEN	LM/W	DIMENSION
EL-R004	8	590-640	115	Φ70X60MM
EL-R005	15	1080-1230	110	Φ95X72MM
EL-R006	30	2250-2430	120	Φ145X86MM
EL-R007	40	2850-3250	115	Φ175X92MM

WORKING VOLTAGE : AC90-240 V

FREQUENCY : 50/60 HZ

CCT : 3000/6000 K

CRI : 80

LIGHTING ANGLE : 24°

ENERGY EFFICIENCY: A++

GUARANTEE : 3YEARS OFFICIAL GUARANTEE

EDISON OPTO CORPORATION IS A GLOBAL LEADING HIGH POWER LED MANUFACTURER, ESTABLISHED IN OCTOBER, 2001 BASED IN TAIPEI, TAIWAN. EDISON OPTO CORPORATION IS PRINCIPALLY ENGAGED IN THE RESEARCH, MANUFACTURE AND DISTRIBUTION OF HIGH POWER LIGHT EMITTING DIODES (LEDs).



SLIM PANEL & SURFACE PANEL

3YEARS
GUARANTEE



MODEL NO	POWER	LUMEN	SHAPE	DIMENSION
EL-S001	4	400-440	● SLIM	Φ80X16MM
EL-S002	7	700-770	● SLIM	Φ105X16MM
EL-S003	10	1000-1100	● SLIM	Φ125X16MM
EL-S004	14	1400-1540	● SLIM	Φ165X16MM
EL-S005	18	1800-1980	● SLIM	Φ215X16MM
EL-S006	12	1200-1360	■ SURFACE	170X170X30MM
EL-S007	18	1800-1980	■ SURFACE	220X220X30MM
EL-S008	24	2400-2620	■ SURFACE	300X300X30MM
EL-S009	12	1200-1360	● SURFACE	Φ170X30MM
EL-S010	18	1800-1980	● SURFACE	Φ220X30MM
EL-S011	24	2400-2620	● SURFACE	Φ300X30MM
WORKING VOLTAGE : AC90-240 V				
FREQUENCY : 50/60 HZ				
CCT : 3000/6000 K				
CRI : 80				
LIGHTING ANGLE : 120°				
ENERGY EFFICIENCY : A++				
GUARANTEE : 3YEARS OFFICIAL GUARANTEE				

LAMP

LAMP
2 YEARS
GUARANTEE



EL-R001
REFLECTOR



EL-R002
LENS

MODEL NO	POWER	LUMEN	LM/W	DIMENSION
EL-R001	5	420-460	110	Φ50X80MM
EL-R002	6	510-540	110	Φ50X80MM
WORKING VOLTAGE : AC90-240 V				
FREQUENCY : 50/60 HZ				
INPUT CURRENT : 300 MA				
INPUT VOLTAGE : 15 V				
LUMEN PCS : 550/660				
CCT 5w: 3000-3200/6000-6200 K				
CCT 6w: 2700/3000/6000-6200 K				
CRI : 73				
LIGHTING ANGLE : 38°				
BASE TYPE : MR16				
SERIES : COB				
ENERGY EFFICIENC: A++				
GUARANTEE : 2YEARS OFFICIAL GUARANTEE				

BACK EMITTING
LED PANEL
2 YEARS
GUARANTEE
NEW



CE


MODEL NO	POWER	LUMEN	LM/W	DIMENSION IN/OUT
EL-S012	6	390/1125	65/75	Ø85 MM/Ø108 MM
EL-S013	12	390/1125	65/75	Ø135 MM/Ø150 MM
EL-S014	18	390/1125	65/75	Ø160 MM/Ø175 MM
WORKING VOLTAGE : AC100-240 V				
FREQUENCY : 50/60 HZ				
CCT : 3000K /6000K				
LIGHT SOURCE : SMD 2835				
MATERIAL : ALUMINUM				
CRI : >70				
ENVIRONMENT TEMPERATURE : -25° , +45°				



DOWNLIGHT 2 YEARS GUARANTEE




MODEL NO	POWER
EL-R003	3W
CCT : 3000K / 6200K	
POWER SOURCE : COB	
WORKING VOLTAGE : AC90-240V	
INPUT VOLTAGE : 9 V	
FREQUENCY : 50/60 HZ	
LIGHT ANGLE : 38°	
LUMEN : 230/270	
LM/W : 110	
CRI : >73	
ENERGY EFFICIENCY: A++	





SAMPLE PROJECT FROM UFO
WWW.FIBEROPTICLIGHTING.COM

FIBER OPTIC






FIBER OPTIC & ENGINE

3 YEARS
GUARANTEE
EPISTAR 

MODEL NO	SIZE	LENGTH	UNIT	TYPE
D-750	0.75MM	2700 M	SPOOL	END LIGHT
D-1000	1MM	1500 M	SPOOL	END LIGHT
D-1500	1.5MM	750 M	SPOOL	END LIGHT
D-2000	2MM	350 M	SPOOL	END LIGHT
FIBER OPTIC ENGINE				
MODEL NO	POWER	VOLTAGE	REMOTE CONTROL	
EL-U016	16W	DC12V	24 KEYS RF	
EL-U032	32W	DC12V	24 KEYS RF	
EL-U045	45W	DC12V	24 KEYS RF	
EL-U075	75W	DC12V	24 KEYS RF	
INPUT : AC 220-265 V				





LED BULB
3 YEARS
GUARANTEE

EPISTAR **CE**

MODEL NO	POWER	LUMEN	LM/W	DIMENSION
EL-BULB	12	1080	90	A70
WORKING VOLTAGE : AC100-240 v				
FREQUENCY : 50/60 Hz				
CCT : WW(2800/3200) NW(4000/4500) CW(6000/6500) K				
CRI : 80				
REPLACEMENT : 100W = ELG12W				
ENVIRONMENT TEMPERATURE : -20° / +50°				
BASE TYPE : E27				
ENERGY EFFICIENCY: A++				
GUARANTEE : 3YEARS OFFICIAL GUARANTEE				

HIGH QUALITY PERFORMANCE AND RELIABILITY
OUTSTANDING EFFICIENCY, 80-90% ENERGY SAVING
REDUCED MAINTENANCE COST, IMPROVED ROI



گروه روشنایی اریس

گروه روشنایی اریس در سال ۱۳۸۵ صرفاً با هدف تخصصی طراحی، تولید انواع چراغ های LED و اجرای پروژه های نور پردازی با LED تاسیس شد. اکنون پس از گذشت یک دهه و بدست آوردن موفقیت های چشم گیر، محصولات روشنایی این گروه به عنوان یکی از برندهای برتر شناخته شده است و موجب گردید به لطف خداوند متعال، همت مدیران و کارشناسان کارآمد و جوان و با تاکید بر مطالعات دانشگاهی اهداف خود را گسترده تر نماید. هم اکنون اریس لایتینگ با برند جدید خود بنام ELG اقدام به عقد قرارداد با برندهای روز دنیا نموده و محصولات خود را با حداکثر ۳ سال کارانتی برای اولین بار در ایران وارد بازار نموده است. اریس لایتینگ با ۳ فروشگاه مرکزی و ۶۰ نماینده رسمی در کشور آماده خدمت رسانی به مشتریان گرامی می باشد.



بسته بندی اصلی اریس لایتینگ

کلیه محصولات گروه روشنایی اریس در بسته بندی اختصاصی ELG عرضه میگردند و تاریخ گارانتی بصورت حک شده روی محصول قابل رویت می باشد.

PARTNERS



EDISON OPTO IS A LEADING MANUFACTURER OF HIGH POWER LED AND A SOLUTION PROVIDER EXPERIENCED IN LDMS. LDMS IS AN INTEGRATED PROGRAM DERIVED FROM THE FOUR ESSENTIAL TECHNOLOGIES IN LED LIGHTING APPLICATIONS- THERMAL MANAGEMENT , ELECTRICAL SCHEME, MECHANICAL REFINEMENT, OPTICAL OPTIMIZATION, TO PROVIDE CUSTOMER WITH VARIOUS LED COMPONENT AND MODULES. MORE INFORMATION ABOUT THE COMPANY AND PRODUCTS CAN BE FOUND AT WWW.EDISON-OPTO.COM



LED STRIP
2 YEARS
GUARANTEE

CE

MODEL NO	TYPE	LED QTY	COLOR	QTY	CHIP
AC220V STRIP	5050	72	WW	50M	TRIPLE
AC220V STRIP	5050	72	W	50M	TRIPLE
AC220V STRIP	5050	72	B	50M	TRIPLE
AC220V STRIP	5050	72	R	50M	TRIPLE
AC220V STRIP	5050	72	PINK	50M	TRIPLE
AC220V STRIP	5050	60	WW	50M	TRIPLE
AC220V STRIP	5050	60	W	50M	TRIPLE
IP65					
ENERGY EFFICIENC: A++					
GUARANTEE : 2YEARS OFFICIAL GUARANTEE					

MODEL NO	TYPE	LED QTY	COLOR	QTY	CHIP
DC12V STRIP	5050	60	WW	5M	TRIPLE
DC12V STRIP	5050	60	W	5M	TRIPLE
DC12V STRIP	5050	60	RGB	5M	TRIPLE
ENERGY EFFICIENC: A++					
IP44					
GUARANTEE : 2YEARS OFFICIAL GUARANTEE					